

# SAC105

# MSDS

|                    |  |                        |  |
|--------------------|--|------------------------|--|
| SAC105             |  | Lead-Free Solder Paste |  |
| 0769-83160166      |  | 0769-38800227          |  |
| dglvzhidao@163.com |  | : 0769-38893080        |  |
| MSDS-1008          |  | 2014.07.01             |  |

|            |              |          |  |
|------------|--------------|----------|--|
| (Rosin)    | ---          | 3.6-5.4% | 8050-09-7                              |
| (Solvent)  | ---          | 1.8-3.6% | 112-59-4                               |
| (Additive) | ---          |          | ---                                    |
| (tin)      | SnAg1.0Cu0.5 | 89%      | Sn7440-31-5 Ag7440-22-4<br>Cu7440-50-8 |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

|  |  |
|--|--|
|  |  |
|--|--|

|  |
|--|
|  |
|  |
|  |
|  |

|  |
|--|
|  |
|  |
|  |
|  |

|  |
|--|
|  |
|  |
|  |
|  |

|  |
|--|
|  |
|  |
|  |

|             |        |           |             |             |
|-------------|--------|-----------|-------------|-------------|
|             |        |           |             |             |
|             |        |           |             |             |
| (TWA)       | (SGEL) | (Ceiling) | LD50<br>( ) | LC50<br>( ) |
| Sn:2.0mg/m3 | -----  | -----     | -----       | -----       |

|       |
|-------|
| / ( ) |
|       |



|  |  | √ |  |  |
|--|--|---|--|--|

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

|   |   |    |  |   |  |   |    |
|---|---|----|--|---|--|---|----|
|   |   |    |  |   |  |   |    |
| B | B | B  |  | B |  | D | BC |
|   |   | BC |  |   |  |   |    |
|   |   | B  |  |   |  |   |    |
|   |   |    |  |   |  |   |    |
|   |   |    |  |   |  |   |    |

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

| AIR PRODUCTS MSDS INTERNATIONAL MARITIME DANGEROUS GOODS CODE |      |      |  |   |   |   |   |  |
|---|------|------|--|---|---|---|---|--|
|   | NFPA | HMIS | 0  | 1 | 2 | 3 | 4 |  |
|   |      |      | NFPA National Fire protection Association rating identifies hazards during a fire emergency. |   |   |   |   |  |
|   |      |      | HMIS Hazardous Materials Identification System rating applies to process as packaged.        |   |   |   |   |  |